













**Double ended probe pin**  
**Outer Dia.  $\phi 0.50 \sim \phi 0.69\text{mm} / \phi 0.0197 \sim \phi 0.0272"$**

<p>4 point crown type</p> <p>0.221N (22.1gf) at 0.7mm travel Full travel 0.8mm Current rating 0.5A</p> <p><b>8YF58L58G-RHI</b></p>	<p>4 point crown type</p> <p>Rhodium plating</p> <p>Preload 0.02N (2gf) 0.26N (26gf) at 0.9mm travel Full travel 1.3mm Current rating 0.5A</p> <p><b>8YF58L58G-RHI</b> (88YF58L58G-RH)</p>	<p>4 point Reduced crown type</p> <p>Preload 0.07N (2gf) 0.29N (30gf) at 0.9mm travel Full travel 1.1mm Current rating 0.5A</p> <p><b>88YF58L58-AUTP</b></p>	<p>4 point crown type</p> <p>Preload 0.02N (2gf) 0.29N (30gf) at 0.9mm travel Full travel 1.5mm Current rating 0.5A</p> <p><b>8YF58L58G</b> (88YF58L58G)</p>
<p>4 point crown type</p> <p>0.257N (26.2gf) at 0.9mm travel Full travel 1.3mm Current rating 0.5A</p> <p><b>8YF58L58G-AUI</b> (88YF58L58G-AU)</p>	<p>4 point crown type</p> <p>Preload 0.06N (6gf) 0.29N (30gf) at 0.9mm travel Full travel 1.3mm Current rating 0.5A</p> <p><b>8YF58L75I</b></p>	<p>4 point Reduced crown type</p> <p>Preload 0.06N (6gf) 0.29N (30gf) at 0.9mm travel Full travel 1.3mm Current rating 0.5A</p> <p><b>8YF58L75-2I</b></p>	<p>High Temperature spec -40°C ~ +150°C</p> <p>4 point Reduced crown type</p> <p>0.294N (30gf) at 0.9mm travel Full travel 1.1mm Current rating 0.5A</p> <p><b>8YF58L75-2SUS</b></p>








**Double ended probe pin**  
**Outer Dia.  $\phi 0.50 \sim \phi 0.69\text{mm} / \phi 0.0197 \sim \phi 0.0272"$**

 <p>4 point Reduced crown type</p> <p>Preload 0.06N (6gf) 0.29N (30gf) at 0.8mm travel Full travel 1.1mm Current rating 0.7A</p> <p><b>8YF065L60I</b></p>	 <p>4 point crown type</p> <p>0.1N (10gf) at 0.9mm travel Full travel 0.9mm Current rating 0.5A</p> <p><b>8YF65L33-CRCNI</b></p>	 <p>4 point crown type</p> <p>0.27N (27.5gf) at 0.55mm travel Full travel 0.65mm Current rating 0.5A</p> <p><b>8YK-D50H-L37</b></p>	 <p>4 point crown type</p> <p>0.295N (30.1gf) at 0.55mm travel Full travel 0.65mm Current rating 0.5A</p> <p><b>8YK-D50H-L37-30G</b></p>
 <p>4 point Reduced crown type</p> <p>0.245N (25gf) at 0.4mm travel Full travel 0.55mm Current rating 0.5A</p> <p><b>8YK-D50H-L33EE</b></p>	<p style="color: purple;">High Temperature spec -40°C ~ +150°C</p>  <p>4 point crown type</p> <p>0.235N (24gf) at 0.5mm travel Current rating 0.5A</p> <p><b>MMD5131214-024N *</b></p> <p>* We supply the connectors using this probe pin. This probe pin itself is for reference only, not available for sales.</p>		

**Double ended probe pin**  
**Outer Dia.  $\phi 0.50 \sim \phi 0.69\text{mm} / \phi 0.0197 \sim \phi 0.0272"$**

 <p>0.18N (18gf) at 1.8mm travel Full travel 2.8mm Current rating 0.5A</p> <p><b>8YF50L102-2</b></p>	 <p>0.294N (30gf) at 0.8mm travel Full travel 1.3mmA</p> <p><b>8YF50L60G-SA-SI</b></p>	 <p>0.294N (30gf) at 0.8mm travel Full travel 1.3mm Current rating 0.5A</p> <p><b>8YF58L60G-SA-S</b></p>	 <p>Preload 0.06N (6gf) 0.29N (30gf) at 0.9mm travel Full travel 1.3mm Current rating 0.7A</p> <p><b>8YF065L78-GI</b></p>
 <p>Preload 0.07N (7gf) 0.22N (22gf) at 1.0mm travel Current rating 0.5A</p> <p><b>8YD57L82L-WG</b></p>	 <p>0.295N (12gf) at 0.8mm travel Full travel 1.2mm Current rating 0.5A</p> <p><b>8YK-D55H-L70-I</b></p>		

**Double ended probe pin**  
**Outer Dia.  $\phi 0.50 \sim \phi 0.69\text{mm} / \phi 0.0197 \sim \phi 0.0272"$**

 <p>4 point Reduced crown type</p> <p>0.274N (28gf) at 0.8mm travel Full travel 1.3mm Current rating 0.5A</p> <p><b>8YF58L1115-28G</b></p> <p>標準品</p>	 <p>4 point crown type</p> <p>0.294N (30gf) at 0.9mm travel Full travel 1.2mm Current rating 0.7A</p> <p><b>8YK-D60H-L875-SI</b></p>	 <p>4 point crown type</p> <p>0.294N (30gf) at 1.1mm travel Full travel 1.5mm Current rating 0.7A</p> <p><b>8YK-D60H-L875-S2</b></p>	 <p>4 point crown type</p> <p>0.367N (37.4gf) at 1.1mm travel Full travel 1.75mm Current rating 0.7A</p> <p><b>8YK-D60H-L157-SI</b></p>
 <p>4 point crown type</p> <p>0.12N (12gf) at 0.55mm travel Full travel 0.6mm Current rating 0.3A</p> <p><b>8YF50L255-12GI</b></p> <p>Standard</p>	 <p>4 point crown type</p> <p>0.12N (12gf) at 0.55mm travel Full travel 0.6mm Current rating 0.3A</p> <p><b>8YF50L290-12G</b></p>	 <p>4 point crown type</p> <p>0.12N (12gf) at 0.55mm travel Full travel 0.6mm Current rating 0.3A</p> <p><b>8YF50L3175-12GL</b></p>	